DETAILS OF INSPECTION VIOLATIONS

NO.	LOCATION	REF.	POINTS	CRITICAL DESCRIPTION	N	
1	INTERGRATED PEST MANAGEMENT	40	0	No		
RECO	RECORDS OF PESTICIDES BEING USED WERE NOT DOCUMENTED IN THE MANUAL.					
RECO	RDS OF PESTICIDES BEING USED WILL BE DOCUMENTED IN THE MANUAL					
2	INTEGRATED PEST MANAGEMENT	40	0	No		
	MENTATION SHOULD BE PROVIDED IN THE IPM PLAN IDENTIFYING WHO IS RESPONENTS OF FOOD AND SUPPLIES.	ISIBLE FO	OR THE INSPEC	CTION OF INCOMING		
	MENTATION OF DESIGNATED PERSONS FOR THE INSPECTION OF INCOMING SHIPM MENTED. HOTEL MANAGER IS THE DESIGNATED PERSON.	ENTS OF	FOOD AND SU	JPPLIES WILL BE		
3	MAIN GALLEY - GENERAL	25	1	No		
WIPING	G CLOTHS WERE STORED ON COUNTERS OR THE RIMS OF THE CLEANING BUCKET	S BETWE	EEN USES.			
REMOVED ALL WIPING CLOTH FROM COUNTERS AND RIMS OF CLEANING BUCKETS, PLACED IN BUCKETS WITH SANITIZED WATER.						
4	PROVISIONS - DAIRY WALK-IN REFRIGERATOR	16	5	Yes		
THE VARIOUS COLD POTENTIALLY HAZARDOUS FOODS IN THIS WALK-IN, SUCH AS NUMEROUS CHEESES, READY-TO-EAT MEATS, AND SHELL EGGS HAD INTERNAL TEMPERATURES FROM 48-52 °F. THE TEMPERATURE LOG HAD AN ENTRY OF 5 °C FOR THIS UNIT AT 0730 TODAY.						
	SES, READY-TO-EAT MEATS, AND SHELL EGGS HAVE BEEN REMOVED AND BURN' IN REFRIGERATOR WILL BE KEPT BELOW 41 °F.	T WITH IN	ICINERATOR.	TEMPERATURE IN DAIRY		
5	GALLEY - GENERAL	20	0	No		
ABOU BY 4-	T 1/2 OF THE THERMOMETERS USED BY INDIVIDUAL CHEFS FOR CHECKING FOOD $^\circ$ 5 °F.	TEMPER	ATURES WER	E OUT OF CALIBRATION		
ALL TI	HERMOMETERS HAVE BEEN CALIBRATED AND ADJUSTED TO 32 °F.					
6	PROVISIONS - MEAT WALK-IN	19	2	No		
_	ACKAGE OF WRAPPED MEAT WAS ON THE DECK BENEATH THE STORAGE RACK. ED ON ANOTHER UNCOVERED BIN OF PACKAGED PORK. THE LOWER BIN HAD BLO					
	WAS REMOVED IMMEDIATELY AND BURNT OFF IN INCINERATOR. UNCOVERED BIN R BIN. LOWER BIN BLOOD ALSO WAS TAKEN OUT.	OF BLO	OD WAS EMPT	ΓΙΕD AND REMOVED FROM		
7	PROVISIONS BEVERAGE STORES	21	0	No		
DIFFICULT TO CLEAN TWINE AND CLOTH STRAPS WERE USED TO RESTRAIN BOXES OF BEVERAGES ON SHELVES.						
TWINE HM 24	: AND CLOTH STRAPS WERE REMOVED. PROFESSIONAL STEEL RUBBER COATED \$/02.	STRAPS I	HAVE BEEN OI	RDERED, REQUISITION NO		
8	CREW GALLEY	31	0	Yes		
AN OPEN BOX OF COFFEE FILTERS WERE FOUND STORED IN AN UNDERCOUNTER LOCKER CONTAINING GARBAGE BAGS, DISHWASHER SOAP, A DIRTY DUST PAIL AND BRUSH.						
SEPER	ATED COFFEE FILTERS FROM NON-FOOD ITEMS. DUST PAIL AND BRUSH HAVE BE	EN REMO	OVED FROM LO	OCKER.		
9	CREW GALLEY	19	2	No		
A NARROW NECK PLASTIC JUICE BOTTLE WAS RE-USED TO STORE A VINEGAR BASED FISH SAUCE PREPARED IN THE GALLEY AND STORED IN THE REACH-IN REFRIGERATOR.						
PLAST	TIC BOTTLE WAS REMOVED AND BURNT OFF IN INCINERATOR.					
10	LIDO PANTRY	21	0	No		
A BAR	E WOODEN BOX WAS USED TO STORE EXPRESSO TOOLS ON THE BEVERAGE CO	OUNTER.	-			
WOOE	DEN BOX HAS BEEN REMOVED-PLASTIC BOX HAS BEEN ORDERED, REQUISITION N	JO. HM 25	5/02.			
11	LIDO PANTRY	27	0	No		
THE T	OP SURFACE OF THE ICE MACHINE WAS SOILED WITH A DIRT DEBRIS. A BOX OF INE TOP WITH GLOVES TOUCHING THE SURFACE.		-			
TOP C	INE FOR WITH DEOVED FOOD HIND THE SORT AGE. F SURFACE ICE MACHINE HAS BEEN CLEANED AND SANITIZED. DISPENSERS FOR MOUNTING, REQUISITION HM 26/02.	R DISPOS	ABLE GLOVES	S HAVE BEEN ORDERED,		

12 LIDO BAR 21 0 No

THE INTERIOR CABINET AND DOOR IN THE TECHNICAL CABINET BENEATH THE HANDWASH SINK WAS WATER SOAKED AND SOILED. REPAIR OR REPLACE THE CABINET INTERIOR WITH A DURABLE, NON-ABSORBENT MATERIAL.

INTERIOR CABINET AND DOOR WILL BE REFINISHED WITH A NON-ABSORBENT FINISH.

13 **COMMENT** * 0 No

IN DEVELOPING THE CORRECTIVE ACTION STATEMENT FOR THIS INSPECTION, CRITICAL-ITEM DEFICIENCIES (DESIGNATED WITH YES IN CRITICAL COLUMN (WORTH 3 - 5 POINTS), WHETHER DEBITED OR NOT, SHOULD INCLUDE STANDARD OPERATING PROCEDURES AND MONITORING PROCEDURES IMPLEMENTED TO PREVENT THE RECURRENCE OF THE CRITICAL DEFICIENCY.

PREPARE CORRECTIVE ACTION STATEMENT AS A WORD PROCESSING OR SPREADSHEET FILE WHICH WILL BE SENT TO USPHS / VSP AS AN EMAIL MESSAGE ATTACHMENT. PLEASE EMAIL CORRECTIVE ACTION STATEMENT TO: VSP@CDC.GOV

USE EMAIL MESSAGE SUBJECT LINE: SHIP NAME - CAS - [INSERT INSPECTION DATE] .

Page 1 of 1DRAFT COPY

DRAFT COPY